索引

(太字は主要ページ)

◆和文◆

あ

アカシジア 36 悪性消化管閉塞 12.74 ---の食事指導 122 悪性腹水 11,90,119 アザセトロン 37.42.65

U

イコサペント酸エチル 44 イメージ療法 117 胃流出路閉塞 127 衣類 116 インジセトロン 37.42.65 インターフェロンα 30

エイコサペンタエン酸 109 エソメプラゾール 43 エビデンスレベル 7 ----. 定義 7

お 嘔吐 11 嘔吐中枢 15 オクトレオチド 38,42,47,81 悪心 11 悪心·嘔吐 14, 52, 116 ---の原因 17 ---の尺度 19 ---の食事指導 122 ---の評価 19 --- の評価シート 22 -- の頻度 17 ---の誘発因子 116 オピオイド 12 オメプラゾール 43

オランザピン 36.41.62

オンダンセトロン 37,42,64,87

化学受容器引金带 15 画像検査 27 カテーテル留置 92 カテゴリースケール 20 下部消化管 12 ---- 内視鏡 28 環境調整 116 看護ケア 11,116 がん食欲不振・悪液質症候群 34 がん性髄膜炎 28 カンレノ酸カリウム 38.43 緩和手術 11, 124 ---の適応 125

き

鏡面像 27

<

クエチアピン 158 グラニセトロン 37,42,65,87 グレリン 34 グレリン受容体作動薬 35 クロム親和性細胞 37 クロルプロマジン 36.41.60

け

経鼻胃管 74 経皮経食道胃管挿入術 75 経皮内視鏡的胃瘻造設術 75,127 外科治療 124 血液検査 27 血清腹水アルブミン勾配 29 研究デザイン 7 検査所見 27

こ

抗 VEGF 抗体 30 抗アレルギー薬 37 交感神経 15 口腔ケア 116

抗コリン薬 36,58 コルチコステロイド 37,42,46,47,48,66,80,104

さ

サブスタンス P 15 酸化マグネシウム **43**, 48, **98**

し

指圧 117 ジフェンヒドラミン 37,41,60 シメチジン 42 ジメンヒドリナート 41 ショウガ 117 消化管ステント 126 消化管ドレナージ 74 消化管閉塞 12.79 小腸造影 28 上部消化管 12 ---- 内視鏡 28 食事指導 11,121 食欲不振 11,34,103 鍼灸 117 人工肛門造設術 124 身体所見 25 心理教育的介入 117

す

推奨度 9 推奨の強さ 8 錐体外路症状 54 スコポラミン臭化水素酸塩 36, 41, 46, 58 スピロノラクトン 38, 43, 47, 90

せ

制吐薬 12, **52** 舌咽神経 15 セロトニン 5HT₂受容体 15 セロトニン 5HT₃受容体 15 セロトニン 5HT₃受容体拮抗薬 **37**, 42, 46, **64** セロトニン 5HT₄受容体 16 漸進的筋弛緩法 117 センナ **39**, 43, 48, **100** センノシド 39, 43

た

体位 116

ち

遅発性ジスキネジア 54 腸管クロム親和性細胞 16

て

デキサメタゾン 66,80,104 デルファイ法 **134**

ح

ドパミン D_2 受容体 15 トリアムシノロン 30 トルバプタン 38, 43, 91 ドレナージ 12 ドンペリドン 36, 41, 55

な

内関 117 内視鏡治療 11 内臓神経 16 ナルデメジン 33

1.7

におい 116 ニザチジン 42 ニボー 27 ニューロキニン NK₁受容体 15

0

濃グリセリン 49

は

バイパス術 124 パロノセトロン 37, 42, 65 ハロペリドール **36**, 41, 46, **57**

7)

ピコスルファート **39**, 43, 48, **100** ビサコジル 39, 43 ヒスタミン H₁受容体 15 ヒスタミン H₂受容体拮抗薬 **37**, 46, **59** ヒスタミン H₂受容体拮抗薬 **38**, 47, **86** 非定型抗精神病薬 62 ヒドロキシジン 42 評価シート 22

*i*s.

ファモチジン 42 フェノチアジン系抗精神病薬 60 腹腔静脈シャント 95 腹腔穿刺ドレナージ 47, 92 腹水細胞診 29 腹水濾過濃縮再静注法 94 ブチルスコポラミン 47 ブチルスコポラミン臭化物 36, 41, 84 プレドニゾロン 42 プロクロルペラジン 36, 41, 60 プロゲステロン製剤 40, 48, 110 フロセミド 38, 43, 47, 90 プロトンポンプ阻害薬 38, 47, 86 プロメタジン 37, 42, 59

^

ペロスピロン **36**, 41, **62** 便秘 11, 31, **98**, 118

ほ

放射線同位元素 30 ボノプラザン 43

吏

マッサージ 117 末梢性オピオイド受容体拮抗薬 33

み

ミルタザピン 37,42,67

む

ムスカリン受容体 15,36

め

迷走神経 15 メチルプレドニゾロン 42,80,104 メトクロプラミド 36,41,46,48,**53,107** メドロキシプロゲステロン酢酸エステル 40,44,110

5

ラクツロース **39**, 43, 48, **98** ラニチジン 42 ラフチジン 42 ラベプラゾール 43 ラモセトロン 37, 42, 65 ランソプラゾール 43

6)

リスペリドン **36**, 41, **62** 六君子湯 39, 43, 108 利尿薬 38.90

る

ルビプロストン 39,43,48,101

ħ

レボメプロマジン 36.41.60

ろ

ロキサチジン 42

◆欧文◆

Δ

Achm 受容体 15 air-fluid level 27 area postrema 15

В

Bristol Stool Form Scale 32

C

cancer anorexia-cachexia syndrome (CACS) 34 cell-free and concentrated ascites reinfusion therapy (CART) 94 chemoreceptor trigger zone (CTZ) 15

Constipation Assessment Scale (CAS) 日本語版 32

D

d-クロルフェニラミンマレイン酸塩 41 Denver シャント 95

Ε

eicosapentaenoic acid (EPA) 109 European Organization for Research and Treatment of Cancer (EORTC) QLQ-C30 日本語版 21

F

Functional Assessment of Anorexia/Cachexia Therapy (FAACT) 34

Functional Assessment of Cancer Therapy-general scale (FACT-G) 21

K

keyboard sign 27

M

M. D. Anderson Symptom Inventory 日本語版 (MDASI-J) 21

malignant ascites 29

N

Numerical Rating Scale (NRS) 20

P

percutaneous endoscopic gastrostomy (PEG) 76, 127 percutaneous trans-esophageal gastro-tubing (PTEG) 76 peripherally-acting μ -opioid receptor antagonist (PAMORA) 33 pseudo-kidney sign 27

Q

QOL 4

S

self-expandable metallic stent 126
serum-ascites albumin gradient(SAAG) 29
spontaneous bowel movement(SBM) 31
Support Team Assessment Schedule 日本語版
(STAS-J) 21

т

 $TNF\alpha$ 30

V

VEGF 29 Visual Analogue Scale (VAS) 19